

GREEN FILTER WATER PURIFICATION SYSTEMS



PRODUCT CATALOGUE



TABLE OF CONTENTS

- 03 ACTIWATER FILTRATION SYSTEMS
- 04 STANDARD FILTRATION SYSTEMS
- 05 COMPACT FILTRATION SYSTEMS
- 06 RO4 STANDARD SYSTEMS
- 06 TULIP COMPACT SYSTEMS
- 07 AKVARO, MERLIN, NANOPAD
- 08 OXY-LOW IONISATION
- 09 MECHANICAL FILTRATION
- 10 CINTROPUR
- 11 WATER SOFTENERS
- 12 CONTROL VALVES
- 13 PRESSURE VESSELS
- 14 RESINS & FILTER MEDIA
- 15 SPECIALIST MEDIA
- 16 WATER COOLERS
- 17 INDUSTRIAL MEMBRANES
- 18 HOME MEMBRANES
- 20 CARTRIDGES
- 23 HOUSINGS
- 24 RO FAUCETS
- 25 PUMPS
- 26 UV LAMPS
- 27 FILTER ACCESSORIES
- 28 3- & 4-WAY FAUCETS
- 30 BRACKETS
- 31 VALVES
- 33 FITTINGS

DEAR CUSTOMERS AND BUSINESS PARTNERS

Our services are aimed at companies and individual customers. We offer suitable technical solutions for any water-related problem after receiving detailed water analysis document. After finding the best solution, we can offer delivery, installation and launch of the device. We keep an eye on the market in order to make our offer adjusted to customer needs.

All GREEN FILTER products and components are certified by National Institute of Public Health – National Institute of Hygiene and other professional certification institutions. It means that they are 100% safe and reliable.





Actiwater 5 R05AP10038F1CF
2,8 GAL METAL TANK ,LEAK DETECTOR,
WRENCH SET, TUBE SET, TEFLON TAPE,
CONNECTOR SET, SINGLE FAUCET, 5-STAGE: 2x
PP, CARBON BLOCK, 100 GPD FILMTEC
MEMBRANE, IN-LINE CARBON



Actiwater 6 R06AP10038F2CF
2,8 GAL METAL TANK ,LEAK DETECTOR,
WRENCH SET, TUBE SET, TEFLON TAPE,
CONNECTOR SET, DOUBLE FAUCET, 6-STAGE:
2x PP, CARBON BLOCK, 100 GPD FILMTEC
MEMBRANE, IN-LINE CARBON, IN-LINE
MINERAL



Actiwater 7 R07AP10038F2CF
2,8 GAL METAL TANK ,LEAK DETECTOR,
WRENCH SET, TUBE SET, TEFLON TAPE,
CONNECTOR SET, DOUBLE FAUCET, 7-STAGE:
2x PP, CARBON BLOCK, 100 GPD FILMTEC
MEMBRANE, IN-LINE CARBON, IN-LINE
MINERAL, BIO-CERAMIC



Actiwater 8 R08AP10038F2CFL
2,8 GAL METAL TANK ,LEAK DETECTOR,
WRENCH SET, TUBE SET, TEFLON TAPE,
CONNECTOR SET, DOUBLE FAUCET, 8-STAGE:
2x PP, CARBON BLOCK, 100 GPD FILMTEC
MEMBRANE, IN-LINE CARBON, IN-LINE
MINERAL, BIO-CERAMIC, UV-LAMP



Actiwater 8 R08AP10038F2CFP
2,8 GAL METAL TANK ,LEAK DETECTOR,
WRENCH SET, TUBE SET, TEFLON TAPE,
CONNECTOR SET, DOUBLE FAUCET, 8-STAGE:
2x PP, CARBON BLOCK, 100 GPD FILMTEC
MEMBRANE, IN-LINE CARBON, IN-LINE
MINERAL, BIO-CERAMIC, RO PUMP



Actiwater 9 R09AP10038F2CFPL
2,8 GAL METAL TANK ,LEAK DETECTOR,
WRENCH SET, TUBE SET, TEFLON TAPE,
CONNECTOR SET, DOUBLE FAUCET, 9-STAGE:
2x PP, CARBON BLOCK, 100 GPD FILMTEC
MEMBRANE, IN-LINE CARBON, IN-LINE
MINERAL, BIO-CERAMIC, UV-LAMP, RO PUMP



R05 Standard

R05S7538F1C

3,2 GAL PLASTIC TANK, TUBE SET,
CONNECTOR SET, SINGLE FAUCET, 5-STAGE:
2xPP, CARBON BLOCK, 75 GPD OSMOTEC
MEMBRANE, IN-LINE CARBON



R06 Standard

R06S7538F2C

3,2 GAL PLASTIC TANK, TUBE SET,
CONNECTOR SET, DOUBLE FAUCET, 6-STAGE:
2xPP, CARBON BLOCK, 75 GPD OSMOTEC
MEMBRANE, IN-LINE CARBON, IN-LINE
MINERAL



R07 Standard

R07S7538F2C

3,2 GAL PLASTIC TANK, TUBE SET,
CONNECTOR SET, DOUBLE FAUCET, 7-STAGE:
2xPP, CARBON BLOCK, 75 GPD OSMOTEC
MEMBRANE, IN-LINE CARBON, IN-LINE
MINERAL, BIOCERAMIC



R08 Standard

R08S7538F2C

3,2 GAL PLASTIC TANK, TUBE SET,
CONNECTOR SET, DOUBLE FAUCET, 8-STAGE:
2xPP, CARBON BLOCK, 75 GPD OSMOTEC
MEMBRANE, IN-LINE CARBON, IN-LINE
MINERAL, BIOCERAMIC, UV-LAMP



R09 Standard

R09S7538F2C

3,2 GAL PLASTIC TANK, TUBE SET,
CONNECTOR SET, DOUBLE FAUCET, 9-STAGE:
2xPP, CARBON BLOCK, 75 GPD OSMOTEC
MEMBRANE, IN-LINE CARBON, IN-LINE
MINERAL, BIOCERAMIC, UV-LAMP, RO PUMP



SLIM 5 R05SL7538F1C
3,2 GAL PLASTIC TANK ,TUBE SET,
CONNECTOR SET, SINGLE FAUCET, 5-STAGE: 2x
IN-LINE PP, 2x IN-LINE CARBON, 75 GPD
OSMOTEC MEMBRANE

SLIM 6 R06SL7538F1C
3,2 GAL PLASTIC TANK ,TUBE SET,
CONNECTOR SET, SINGLE FAUCET, 6-STAGE: 2x
IN-LINE PP, 2x IN-LINE CARBON, 75 GPD
OSMOTEC MEMBRANE, IN-LINE MINERAL

SLIM BIO CERAMIC R07SL7538F1C
3,2 GAL PLASTIC TANK ,TUBE SET,
CONNECTOR SET, SINGLE FAUCET, 6-STAGE:
IN-LINE PP, 2x IN-LINE CARBON, 75 GPD
OSMOTEC MEMBRANE, IN-LINE MINERAL, IN-
LINE BIO CERAMIC



R05 Fala R05F7538F1C
2,2 GAL METAL TANK, TUBE SET, CONNECTOR
SET, SINGLE FAUCET, 5-STAGE: 2x IN-LINE PP,
2X IN-LINE CARBON, 75 GPD OSMOTEC
MEMBRANE

R06 Fala R06F7538F2C
2,2 GAL METAL TANK, TUBE SET, CONNECTOR
SET, DOUBLE FAUCET, 6-STAGE: 2x IN-LINE PP,
2X IN-LINE CARBON, 75 GPD OSMOTEC
MEMBRANE, IN-LINE MINERAL

R07 Fala R07F7538F2C
2,2 GAL METAL TANK, TUBE SET, CONNECTOR
SET, DOUBLE FAUCET, 7-STAGE: 2x IN-LINE PP,
2X IN-LINE CARBON, 75 GPD OSMOTEC
MEMBRANE, IN-LINE MINERAL, BIO CERAMIC



R04 Standard R04S7538F1C
3,2 GAL PLASTIC TANK ,TUBE SET,
CONNECTOR SET, SINGLE FAUCET, 4-STAGE:
PP, CARBON BLOCK, 75 GPD OSMOTEC
MEMBRANE, INLINE CARBON



R04 Standard R04SM7538F2C
3,2 GAL PLASTIC TANK ,TUBE SET,
CONNECTOR SET, DOUBLE FAUCET, 5-STAGE:
PP, CARBON BLOCK, 75 GPD OSMOTEC
MEMBRANE, INLINE CARBON, IN-LINE MINERAL



R04 Standard R04SMB7538F2C
3,2 GAL PLASTIC TANK ,TUBE SET,
CONNECTOR SET, DOUBLE FAUCET, 6-STAGE:
PP, CARBON BLOCK, 75 GPD OSMOTEC
MEMBRANE, INLINE CARBON, IN LINE MINERAL,
BIOCERAMIC



R05 Tulip R05TU7538F1C
3,2 GAL TANK, TUBE SET, CONNECTOR SET, 5-
STAGE: 2x IN-LINE PP, 2x IN-LINE CARBON,
OSMOTEC MEMBRANE: 75 GPD



R05 Tulip + Pump R05TU7538P
3,2 GAL TANK, TUBE SET, CONNECTOR SET, 5-
STAGE: 2x IN-LINE PP, 2x IN-LINE CARBON,
OSMOTEC MEMBRANE: 75 GPD, BOOSTER
PUMP

R03 Akvaro

AQUARISTIC FILTER, NO TANK,
TUBE SET, CONNECTOR
SET, 3-STAGE: IN-LINE PP,
IN-LINE CARBON,
OSMOTEC MEMBRANE:
75 / 100 / 150 / 200 GPD

R03A7538



Merlin

RO MERLIN

MRROM700

NO TANK, TUBE SET, CONNECTOR SET, SINGLE
FAUCET, COMPONENTS: 2x 350 GPD
MEMBRANE, IN-LINE CARBON, CARBON BLOCK



NanoPad

RO NANOPAD

RONP50038P

NO TANK, TUBE SET, CONNECTOR SET, SINGLE
FAUCET, COMPONENTS: 2x 250 GPD
MEMBRANE, IN-LINE CARBON, IN-LINE PP



ROCROXY7538F2CF

OXY-LOW Ionisation Cristalle

2,2 GAL METAL TANK, TUBE SET, CONNECTOR SET, DOUBLE FAUCET, 6-STAGE: 2xPP, 75 GPD OSMOTEC MEMBRANE, 2X IN-LINE CARBON, REDOX



OXY-LOW Ionisation SLIM ROSLR257538F2C

3,2 GAL PLASTIC TANK, TUBE SET, CONNECTOR SET, DOUBLE FAUCET, 5-STAGE: 1xPP, 75 GPD OSMOTEC MEMBRANE, 2X IN-LINE CARBON, IN-LINE MINERAL, 1X REDOX



R06 Tulip + Redox ROTUR257538

3,2 GAL TANK, TUBE SET, CONNECTOR SET, 6-STAGE: 2x IN-LINE PP, 2x IN-LINE CARBON, OSMOTEC MEMBRANE: 75 GPD, IN-LINE 2,5" REDOX ALKALINE CARTRIDGE



OXY-LOW Ionisation Kega ROKOXY7538

3,2 GAL PLASTIC TANK, TUBE SET, CONNECTOR SET, FAUCET, 6-STAGE: 2x IN-LINE PP, 2X IN-LINE CARBON, IN-LINE ALKALINE REDOX CARTRIDGE, 75 GPD OSMOTEC MEMBRANE

available
in custom color!



1/2" Housing SET

H10C3P12GF

10" FILTER HOUSING 3-PART, BLUE HEAD,
TRANSPARENT SUMP, FEMALE THREAD
CONNECTOR - 1/2". SET CONTAINS BRACKET,
WRENCH, STRING CARTRIDGE



3/4" Housing SET

H10C3P34GF

10" FILTER HOUSING 3-PART, BLUE HEAD,
TRANSPARENT SUMP, FEMALE THREAD
CONNECTOR - 3/4". SET CONTAINS BRACKET,
WRENCH, STRING CARTRIDGE



1" Housing SET

H10C3P1GF

10" FILTER HOUSING 3-PART, BLUE HEAD,
TRANSPARENT SUMP, FEMALE THREAD
CONNECTOR - 1". SET CONTAINS BRACKET,
WRENCH, STRING CARTRIDGE



SF2 Standard

SF238

2-STAGE UNDER-COUNTER FILTRATION
SYSTEM, COMPLETE SET CONTAINING F1C
FAUCET WITH WATER CONNECTOR, WRENCH
AND C10P20, C10BC CARTRIDGES



SF3 Standard

SF338

3-STAGE UNDER-COUNTER FILTRATION
SYSTEM, COMPLETE SET CONTAINING F1C
FAUCET WITH WATER CONNECTOR, WRENCH
AND C10P5, C10P20, C10BC CARTRIDGES



Cintropur NW18

CINHNW18

DOMESTIC FILTER NW 18 WITH CONNECTOR
SIZE: 3/4" AND WATER FLOW RATE: 3,5 M3/H



Cintropur NW25

CINHNW25

DOMESTIC FILTER NW 25 WITH CONNECTOR
SIZE: 1" AND WATER FLOW RATE: 5,5 M3/H



Cintropur NW32

CINHNW32

DOMESTIC FILTER NW 32 WITH CONNECTOR
SIZE: 1 1/4" AND WATER FLOW RATE: 6,5 M3/H



Cintropur NW500

CINHNW500

INDUSTRIAL FILTER NW 500 WITH
CONNECTOR SIZE: 2" AND WATER FLOW RATE:
18 M3/H



Cintropur NW650

CINHNW650

INDUSTRIAL FILTER NW 650 WITH
CONNECTOR SIZE: 2 1/2" AND WATER FLOW
RATE: 25M3/H WITH FLANGE



Cintropur 800

CINHNW800

INDUSTRIAL FILTER NW 800 WITH
CONNECTOR SIZE: 3" AND WATER FLOW RATE:
32 M3/H WITH FLANGE



Cintropur Sleeves & Spare parts

FULL RANGE OF REPLACEMENT SLEEVES AND
SPARE PARTS FOR FILTER MODELS PRESENTED
ABOVE AND OTHER TYPES.





CS4H Red SC-CS4HV850R
10/20/25L MEDIA, COMPACT, 2-49°C,
VOLUMETRIC-TIME CONTROL, 0,7 / 1,2 / 1,6
M3 EFFICIENCY



CS4H Blue SC20CS4HV1650
10/20/25L MEDIA, COMPACT, 2-49°C,
VOLUMETRIC-TIME CONTROL, 0,7 / 1,2 / 1,6
M3 EFFICIENCY



CS6H SC20CS6HV850F
18L MEDIA, COMPACT, 2-49°C, VOLUMETRIC-
TIME CONTROL, 50L SALT TANK



CS8H SC20CS8HV850F
14,5L MEDIA, COMPACT, 2-49°C,
VOLUMETRIC-TIME CONTROL, 50L SALT TANK



CS15H SC25CS15HV850F
25,5L MEDIA, COMPACT, 2-49°C,
VOLUMETRIC-TIME CONTROL, 52KG SALT
TANK



CS16H SC25CS16HV85SE
12,5/25L MEDIA, COMPACT, 2-49°C,
VOLUMETRIC-TIME CONTROL, 24/64KG SALT
TANK



CS10H Red SC30CS10HV850F
25L MEDIA, COMPACT, 2-49°C, VOLUMETRIC-
TIME CONTROL, 65L SALT TANK



SOFTENING VALVE BNT165

TYPE: VOLUMETRIC DOWN-FLOW, FLOW MAX: 1,2 M3/H, BY-PASS, INLET-OUTLET / DRAIN / BRINE: 1" / 1/2" / 3/8", BASE: 2,5", WORK PRESSURE: 0.18—0.6MPA, WORK TEMP.: 2 - 49°C, POWER: DC12V, 1.0A



SOFTENING VALVE RX63C3

TYPE: VOLUMETRIC DOWN-FLOW, FLOW MAX: 4,0 M3/H, BY-PASS, INLET-OUTLET / DRAIN / BRINE: 1" / 1/2" / 3/8", BASE: 2,5", WORK PRESSURE: 0.15—0.6MPA, WORK TEMP.: 2 - 49°C, POWER: DC12V, 1.5A



FILTRATION VALVE RX67C1

TYPE: TIME CONTROL, FLOW MAX: 4,0 M3/H, BY-PASS, INLET-OUTLET / DRAIN: 1" / 1", BASE: 2,5", WORK PRESSURE: 0.15—0.6MPA, WORK TEMP.: 2 - 49°C, POWER: DC12V, 1.5A



SOFTENING VALVE RX68C3

TYPE: VOLUMETRIC UP-FLOW, FLOW MAX: 4,0 M3/H, BY-PASS, INLET-OUTLET / DRAIN / BRINE: 1" / 1/2" / 3/8", BASE: 2,5", WORK PRESSURE: 0.15—0.6MPA, WORK TEMP.: 2 - 49°C, POWER: DC12V, 1.5A



SOFTENING VALVE RX69C

TYPE: SEMI-AUTOMATIC UP-FLOW, FLOW MAX: 2,0 M3/H, BY-PASS, INLET-OUTLET / DRAIN / BRINE: 3/4" / 1/2" / 3/8", BASE: 2,5", WORK PRESSURE: 0.15—0.6MPA, WORK TEMP.: 2 - 49°C



SOFTENING VALVE RX77A3

TYPE: VOLUMETRIC DOWN-FLOW, FLOW MAX: 18,0 M3/H, BY-PASS, INLET-OUTLET / DRAIN / BRINE: 2" / 1 1/2" / 3/4", BASE: 4,0", WORK PRESSURE: 0.2—0.6MPA, WORK TEMP.: 2 - 49°C, POWER: DC24V, 1.5A



SOFTENING / FILTRATION VALVE RX79B

TYPE: UP-FLOW / DOWN-FLOW, FLOW MAX: 2,0 M3/H, BY-PASS, INLET-OUTLET / DRAIN / BRINE: 3/4" / 1/2" / 3/8", BASE: 2,5", WORK PRESSURE: 0.15—0.6MPA, WORK TEMP.: 2 - 49°C, POWER: DC12V, 1.5A



SOFTENING / FILTRATION VALVE RX82B

TYPE: UP-FLOW / DOWN-FLOW, FLOW MAX: 4,0 M3/H, BY-PASS, INLET-OUTLET / DRAIN / BRINE: 1" / 1/2" / 3/8", BASE: 2,5", WORK PRESSURE: 0.15—0.6MPA, WORK TEMP.: 2 - 49°C, POWER: DC12V, 1.5A



PV1044	10 x 44 - 2.5"	50,1
PV1054	10 x 54 - 2.5"	62,4
PV1248	12 x 48 - 2.5"	79,5
PV1252	12 x 52 - 2.5"	87,3
PV1344	13 x 44 - 2.5"	84,8
PV1354	13 x 54 - 2.5"	105,7
PV1452	14 x 52 - 2.5"	115
PV1465	14 x 65 - 2.5"	148
PV1652	16 x 52 - 2.5"	153
PV1635	16 x 65 - 2.5"	194

HOME USE & SEMI-INDUSTRIAL - THREAD 2,5" - 8 NPSM

Symbol:	Description:	Capacity (Ltr.)
PV0613	06 x 13 - 2.5"	4,3
PV0613 NB	06 x 13 - 2.5" - NO BASE	4,3
PV0713	07 x 13 - 2.5"	5,8
PV0713 NB	07 x 13 - 2.5" - NO BASE	5,8
PV0717	07 x 17 - 2.5"	8,3
PV0717 NB	07 x 17 - 2.5" - NO BASE	8,3
PV0730	07 x 30 - 2.5"	16,2
PV0730 NB	07 x 30 - 2.5" - NO BASE	16,2
PV0735	07 x 35 - 2.5"	19,1
PV0735 NB	07 x 35 - 2.5" - NO BASE	19,1
PV0813	08 x 13 - 2.5"	7,7
PV0813 NB	08 x 13 - 2.5" - NO BASE	7,7
PV0817	08 x 17 - 2.5"	11
PV0817 NB	08 x 17 - 2.5" - NO BASE	11
PV0830	08 x 30 - 2.5"	21,4
PV0830 NB	08 x 30 - 2.5" - NO BASE	21,4
PV0835	08 x 35 - 2.5"	24,8
PV0835 NB	08 x 35 - 2.5" - NO BASE	24,8
PV0844	08 x 44 - 2.5"	32,1
PV0917	09 x 17 - 2.5"	13,7
PV0917 NB	09 x 17 - 2.5" - NO BASE	13,7
PV0930	09 x 30 - 2.5"	26,6
PV0930 NB	09 x 30 - 2.5" - NO BASE	26,6
PV0935	09 x 35 - 2.5"	31,6
PV0935 NB	09 x 35 - 2.5" - NO BASE	31,6
PV0942	09 x 42 - 2.5"	38,2
PV0948	09 x 48 - 2.5"	44,6
PV1017	10 x 17 - 2.5"	16,8
PV1017 NB	10 x 17 - 2.5" - NO BASE	16,8
PV1030	10 x 30 - 2.5"	32,4
PV1030 NB	10 x 30 - 2.5" - NO BASE	32,4
PV1035	10 x 35 - 2.5"	38,4
PV1035 NB	10 x 35 - 2.5" - NO BASE	38,4

INDUSTRIAL - THREAD 4,0" - 8 UN

Symbol:	Description:	Capacity (Ltr.)
PV1452 G	14 x 52 - 4.0"-TOP	115
PV1465 G	14 x 65 - 4.0"-TOP	148
PV1465 GD	14 x 65 - 4.0"-TOP-BOTTOM	148
PV1652 G	16 x 52 - 4.0"-TOP	153
PV1665 G	16 x 65 - 4.0"-TOP	194
PV1665 GD	16 x 65 - 4.0"-TOP-BOTTOM	194
PV1865 G	18 x 65 - 4.0"-TOP	269
PV1865 GD	18 x 65 - 4.0"-TOP-BOTTOM	275
PV2162 G	21 x 62 - 4.0"-TOP	344
PV2162 GD	21 x 62 - 4.0"-TOP-BOTTOM	330
PV2465 G	24 x 65 - 4.0"-TOP	425
PV2472 G	24 x 72 - 4.0"-TOP	473
PV2472 GD	24 x 72 - 4.0"-TOP-BOTTOM	473
PV3072 G	30 x 72 - 4.0"-TOP	708
PV3072 GD	30 x 72 - 4.0"-TOP-BOTTOM	697
PV3672 G	36 x 72 - 4.0"-TOP	984
PV3672 GD	36 x 72 - 4.0"-TOP-BOTTOM	1011

INDUSTRIAL - FLANGE - 6"

Symbol:	Description:	Capacity (Ltr.)
PV1865 G	18 x 65 - 6.0"-TOP	261
PV1865 GD	18 x 65 - 6.0"-TOP-BOTTOM	261
PV2162 G	21 x 62 - 6.0"-TOP	330
PV2162 GD	21 x 62 - 6.0"-TOP-BOTTOM	330
PV2472 G	24 x 72 - 6.0"-TOP	491
PV2472 GD	24 x 72 - 6.0"-TOP-BOTTOM	491
PV3072 GD	30 x 72 - 6.0"-TOP-BOTTOM	704
PV3672 GD	36 x 72 - 6.0"-TOP-BOTTOM	998
PV4274 GD	42 x 72 - 6.0"-TOP-BOTTOM	1494
PV4872 GD	48 x 72 - 6.0"-TOP-BOTTOM	1895
PV6367 GD	63 x 67 - 6.0"-TOP-BOTTOM	2451
PV6386 GD	63 x 86 - 6.0"-TOP-BOTTOM	3306



MEDION MIXED BED M5ION478
5L, ION-EXCHANGE RESIN MIX,
DEMINERALISATION WATER PRODUCTION,
KATION/ANION RESIN RATIO 1.0 / 1.5, 60%
MOIST



MEDION 100C M25ION100C
25L, WATER SOFTENING, REMOVES HARDNESS,
SALT REGENERATION, MAX WORKING TEMP.
120°C, 46-50% MOIST



MEDION MONO M25ION100M
25L, MONOSPHERIC GRAIN, WATER
SOFTENING, REMOVES HARDNESS, SALT
REGENERATION, MAX WORKING TEMP. 120°C,
46-50% MOIST



SILIPHOS M20SILIPHOS
25KG, PIPE PROTECTION, 20 MM GRAIN, 3-6
MONTHS LIFE-SPAN, 3-5g / 1000 L,
CONTAINS: SODIUM, PHOSPHATES, SILICATES



GREENSAND M14IRG
BLACK DRY GRANULES, 88 POUNDS / CU'FT
DENSITY, 0.30 - 0.35 EFFECTIVE SIZE, 6.2-8.5
pH RANGE, NO TEMPERATURE LIMIT



CRYSTAL-RIGHT 100/200 M28CR100/200
SOFTENING, IRON AND MANGANESE REMOVAL,
ION-EXCHANGE, 0.3-0.24 mm GRAIN, 4-40°C
WORK TEMPERATURE, 7-14 pH RANGE



BIRM M28BIRM
IRON REMOVAL, NO REGENERATION REQUIRED,
8-8.5 pH (6.8 pH FOR IRON REMOVAL), 9-12
M3/H FLOW RATE, 25-29 M3/H RINSE RATE



SALT TABLETS M25S
25KG, HIGH-QUALITY TABLET SALT, LONGER
WORK OF HOUSEHOLD APPLIANCES, INCL.
WATER-SOFTENERS



AQUA-MULTI M25MULTI / BIO
25L, MULTI-FUNCTION MEDIA, REMOVES
HARDNESS, IRON, MANGANESE, AMMONIA
AND ORGANIC COMPOUNDS



POLYPHOSPHATE WHITE M25POLIFW
10/20/25L MEDIA, COMPACT, 2-49°C,
VOLUMETRIC-TIME CONTROL, 0,7 / 1,2 / 1,6
M3 EFFICIENCY



POLYPHOSPHATE BLUE M25POLIFB
10/20/25L MEDIA, COMPACT, 2-49°C,
VOLUMETRIC-TIME CONTROL, 0,7 / 1,2 / 1,6
M3 EFFICIENCY



POLYPHOSPHATE GREEN M25POLIFG
18L MEDIA, COMPACT, 2-49°C, VOLUMETRIC-
TIME CONTROL, 50L SALT TANK



ALKALINE+ANTIOXIDANT M25ANTIOXIDANT
14,5L MEDIA, COMPACT, 2-49°C,
VOLUMETRIC-TIME CONTROL, 50L SALT TANK



ORP WATER MAGNESIUM M25ORPM
25,5L MEDIA, COMPACT, 2-49°C,
VOLUMETRIC-TIME CONTROL, 52KG SALT
TANK



KANGEN M25KANGEN
12,5/25L MEDIA, COMPACT, 2-49°C,
VOLUMETRIC-TIME CONTROL, 24/64KG SALT
TANK



TOURMALINE M25TURMALIN
25L MEDIA, COMPACT, 2-49°C, VOLUMETRIC-
TIME CONTROL, 65L SALT TANK



ONIX COLD, HOT & SODA DONCHS
FREESTANDING WATER COOLER, OPTIONAL
FILTRATION SYSTEM, CUP DISPENSER, DRIP
TRAY, NO PLASTIC BOTTLE REQUIRED, 20L/H
CHILLING, 12L/H HEATING



ONIX COLD, HOT & AMBIENT DONCHA
FREESTANDING WATER COOLER, OPTIONAL
FILTRATION SYSTEM, CUP DISPENSER, DRIP
TRAY, NO PLASTIC BOTTLE REQUIRED, 20L/H
CHILLING, 12L/H HEATING



PARTS
HEATERS, IC CONTROL BOARDS, LEAK
SENSORS, VALVES, COVERS, CONTROL PANELS,
LIDS, ELECTRIC AND HYDRAULIC FLOATS,
DECORATION STICKERS ETC.



919 COOLER WHITE DSWNRO
TABLE-TOP WATER COOLER, NO PLASTIC
BOTTLE REQUIRED, 4L COLD TANK, 2L HOT
TANK, 8L AMBIENT TANK, 300 L /H MAX
CAPACITY



929 COOLER WHITE DBW929CHA
FREESTANDING WATER COOLER, OPTIONAL
FILTRATION SYSTEM, NO PLASTIC BOTTLE
REQUIRED, 4L COLD TANK, 2L HOT TANK, 8L
AMBIENT TANK, 300 L /H MAX CAPACITY



919 COOLER GRAPHITE DSGNRO
TABLE-TOP WATER COOLER, NO PLASTIC
BOTTLE REQUIRED, 4L COLD TANK, 2L HOT
TANK, 8L AMBIENT TANK, 300 L /H MAX
CAPACITY



929 COOLER GRAPHITE DBG929CHA
FREESTANDING WATER COOLER, OPTIONAL
FILTRATION SYSTEM, NO PLASTIC BOTTLE
REQUIRED, 4L COLD TANK, 2L HOT TANK, 8L
AMBIENT TANK, 300 L /H MAX CAPACITY





OSMOTEC 200 GPD

MO200.35



OSMOTEC 300 GPD

MO300



OSMOTEC 400 GPD

MO400



OSMOTEC 2540

MOULP21 2540



OSMOTEC 4040

MOULP21 4040



OSMOTEC 8040

MOULP21 8040



OSMOTEC PRF-RO Compatible

MO350M



VONTRON 300 GPD

MV300



VONTRON 4040

MVULP21-4040V

Osmotec:

reliable membrane brand



OSMOTEC 50 GPD
M050



OSMOTEC 75 GPD
M075



OSMOTEC 100 GPD
M0100



OSMOTEC 150 GPD
M0150



OSMOTEC 200 GPD
M0200



FILMTEC 50 GPD

MF50



FILMTEC 75 GPD

MF75



FILMTEC 100 GPD

MF100



PENTAIR 50 GPD

MP50



PENTAIR 75 GPD

MP75



PENTAIR 100 GPD

MP100



VONTRON 50 GPD

MV50

VONTRON 75 GPD

MV75

VONTRON 150 GPD

MV150

VONTRON 100 GPD

MV100



PP Cartridges

CxPx



STRING Cartridges

CxSx



CARBON BLOCK Cartridges

CxCBx



PLEATED CELLULOSE Cartridges

CxCEx



NYLON MESH Cartridges

CxNx



ANTI IRON Cartridges

CxIRx



SOFTENING Cartridges

CxSFx



GAC Cartridges

CxCGx



GAC + KDF Cartridges

CxCGKDFx

**WATER FILTER
CARTRIDGES**



CARBON INLINE 2"

C21CB(Q)



COCONUT CARBON INLINE 2"

C21CC(Q)



MINERAL INLINE 2"

C21M(Q)



PP INLINE 2"

C21P(Q)



PP INLINE 2,5"

C25IP



DEMINERALISATION INLINE 2"

C21D



SOFTENING INLINE 2"

C21SF





PP 2,5" INLINE STEM C25IPQS



UF MEMBRANE 2,5" INLINE STEM C25IMKQS



CARBON 2,5" INLINE STEM C25ICBQS



BIOCERAMIC 2100 2" INLINE C2IB100



BIOCERAMIC 2200 2" INLINE C2IB200



BIOCERAMIC 2300 2" INLINE C2IB300



ALKALINE pH ORP 2" INLINE C2IR1000



ALKALINE pH ORP 2,5" INLINE STEM C25IRQS



SHOWER FILTER CARTRIDGE CFSHWKDF



10" HOUSING 1/4" H10x14Q2
FILTER HOUSING FOR FILTRATION & RO SYSTEMS, 10", WHITE HEAD, WHITE / TRANSPARENT SUMP, FEMALE THREAD CONNECTOR - 1/4" DOUBLE ORING



10" 3-PART HOUSING H10C3Px
10" FILTER HOUSING, 3-PART, BLUE HEAD, TRANSPARENT SUMP, FEMALE THREAD CONNECTOR - 1/2" / 3/4" / 1", SINGLE ORING.



5" 3-PART HOUSING H5C3Px
5" FILTER HOUSING, 3-PART, BLUE HEAD, TRANSPARENT SUMP, FEMALE THREAD CONNECTOR - 1/2" / 3/4" / 1", SINGLE ORING.



20" SLIM HOUSING H20W2P38Q2
FILTER HOUSING FOR FILTRATION & RO SYSTEMS, 20", WHITE HEAD, WHITE SUMP, FEMALE THREAD CONNECTOR - 3/8" DOUBLE ORING



10" / 20" BB TRANSPARENT HxBL15BQ2
FILTER HOUSING, 10" / 20", BLACK HEAD, TRANSPARENT SUMP, FEMALE THREAD CONNECTOR - 1.5" DOUBLE ORING



10" / 20" BB BLUE HxBL15BQ2
FILTER HOUSING, 10" / 20", BLACK HEAD, BLUE SUMP, FEMALE THREAD CONNECTOR - 1.5" DOUBLE ORING



10" / 20" BB BLUE HxxBL1BQ2
20" FILTER HOUSING, BIG BLUE, BLACK HEAD, BLUE SUMP, FEMALE THREAD CONNECTOR - 1", DOUBLE ORING



WASHING MACHINE FILTER HW34xx
3/4" CONNECTOR HOUSING, BLUE / WHITE / GREEN POLYPHOSPHATE / SILICOPHOSPHATE FILLING



SHOWER FILTER HOUSING HFSHx
WHITE / SILVER SHOWER FILTER HOUSING, COMPLETE SET, CONNECTOR - 1/2"



SINGLE FAUCET WITH BLACK HANDLE F1



SINGLE FAUCET (CERAMIC) F1C



DOUBLE FAUCET (CERAMIC) F2C



SINGLE FAUCET (CERAMIC) FUTURA F1CF



DOUBLE FAUCET (CERAMIC) FUTURA F2CF



SINGLE FAUCET (CERAMIC) LARGE F1CK



SINGLE FAUCET (CERAMIC) MEDIUM F1CD



SINGLE FAUCET (CERAMIC) RETRO F1CR



PARTS FOR RO FAUCETS



PUMP 50/75 GPD MEMBRANE PM5075



PUMP 100 GPD MEMBRANE PM100



PUMP 200 GPD MEMBRANE PM200



PUMP 300 GPD MEMBRANE PM300



PUMP 400 GPD MEMBRANE PM400



WATER HARDNESS TEST SET TKTWSET



TDS METER TDSHM



WASSERLIGHT PUV 1 LPV1T
1GPM (0.23 M³/HR, 3.78LPM) 1/4" 10W WITH
ELECTRONIC TRANSFORMER



WASSERLIGHT PUV 2 LPV2T
2GPM (0.5 M³/HR, 7.5LPM) 1/4" 14W WITH
ELECTRONIC TRANSFORMER



WASSERLIGHT PUV 4 LPV4T
4GPM (1 M³/HR, 15LPM) 1/2" 19W WITH
ELECTRONIC TRANSFORMER



WASSERLIGHT PUV 6 LPV6T
6GPM (1.4 M³/HR, 22.7LPM) 3/4" 28W WITH
ELECTRONIC TRANSFORMER



WASSERLIGHT PUV 8 LPV8T
8GPM (1.9 M³/HR, 30LPM) 3/4" 32W WITH
ELECTRONIC TRANSFORMER



WASSERLIGHT PUV 12 LPV12T
12GPM (3 M³/HR, 45.4LPM) 1" 39W WITH
ELECTRONIC TRANSFORMER



WASSERLIGHT PUV 18 LPV18T
18GPM (4.1 M³/HR, 68LPM) 1" 40W WITH
ELECTRONIC TRANSFORMER



WASSERLIGHT PUV 35 LPV35T
35GPM (8 M³/HR, 133LPM) 1" 65W WITH
ELECTRONIC TRANSFORMER



WASSERLIGHT PUV 52 LPV52T
52GPM (11.5 M³/HR, 197LPM) 1-1/2" 100W
WITH ELECTRONIC TRANSFORMER



PE TUBES

1/4" & 3/8" TUBE FOR FILTRATION SYSTEMS,
BLACK, BLUE, WHITE, YELLOW, GRAY, RED



HOUSING WRENCH

FOR 2-PART & 3-PART HOUSINGS, BIG BLUE
AND MEMBRANE HOUSINGS



MOUNTING CLIPS

VARIOUS, DOUBLE & SINGLE, 2" - 3,5" TYPES



METAL TANKS

GALLON CAPACITY: 0,8 - 2,2 - 2,8 - 3,2 - 5,0
11,0 - 20,0 - 28,0 - 40,0



PLASTIC TANKS

GALLON CAPACITY:
3,2 - 4,0



PP 2,5" INLINE STEM

HM25F18

2,5" FOR 50, 75, 100, 150 GPD MEMBRANES,
FEMALE THREAD 3X1/8"



PP 2,5" INLINE STEM

HM35F1814

3,5" MEMBRANE HOUSING FOR 300 GPD
MEMBRANES, FEM. THREAD 2 X 1/8", 1 X 1/8"



RO UV LAMP

LUVS14S006W



SYSTEM CONNECTORS

BRASS, MALE/FEMALE THREAD, VARIOUS
TYPES: 1/4" - 3/8" - 1/2" - 3/4"



CARDO INOX

FK3CAI



INGA CHROME

FK3IN



INGA SATIN

FK3INS



PALMIRA INOX

FK3PAI



PLATINO INOX

FK3PLI



RICANTI CHROME

FK3RICH



TAUPO 44 BLACK

FK3TACM



TAUPO CHROME

FK3TACH



ZARA INOX

FK3ZAI

**3- & 4-WAY
FAUCETS**



4YOU CHROM

FK4YOU



ALABAMA WHITE

FK3ALBP



ALABAMA CHROME

FK3ALCH



ALABAMA BLACK

FK3ALCP



ALABAMA GOLD

FK3ALSZ



AMANDA 44 BLACK

FK3AMCM



AMANDA WHITE

FK3AMW



AMANDA CHROME

FK3AMCH



AMANDA BLACK

FK3AMCP



SINGLE METAL BRACKET FOR BB BM1HB



DOUBLE METAL BRACKET BM2H



DOUBLE METAL BRACKET FOR BB BM2HB



TRIPLE METAL BRACKET FOR BB BM3HB



TRIPLE METAL BRACKET BM3HPL



METAL BRACKET FOR PUMP BMP



SINGLE PLASTIC BRACKET BP1H



TRIPLE PLASTIC BRACKET BP3H



TRIPLE METAL BRACKET BP3H



MANOMETER 10 BAR + ADAPTER MR010B



LEAK DETECTOR QCAS214



LEAK DETECTOR CARTRIDGE QPFLD



FLOW LIMITER INSERT QFR420C / QFR550P



FLOW LIMITER 300 - 800 CC QFRx



FLOW LIMITER 1500 CC QFR1500



FLOW LIMITER REGULATOR QFRREG



BALL VALVE PVC 2 X 1/4" QV14



SHUT-OFF 4 X 1/4" QV414



HIGH PRESSURE VALVE FOR PUMP QVH1



LOW PRESSURE VALVE FOR PUMP QVL1



BALL VALVE PVC THR.-QC 1/4" QVM1414



CHECK VALVE 2 X 1/4" QVR14



TANK VALVE THR.-QC 1/4" QVTF1414



BALL VALVE BRASS 1/4" - 3/8" VM14x



CHECK VALVE METAL 1/4" VREM1414M



JACO ELBOW FOR VREM1414M EJF1814



CHECK VALVE 1/4" QC -1/8" QEVM1814M



ELBOW 1/4" THREAD X 3/8" QC C251PQS



ELBOW 1/8" THREAD X 1/4" QC QEM1814



ELBOW 1/4" THREAD X 3/8" QC QEM1438



ELBOW 1/4" STEM X 3/8" QC QES1438



ELBOW 1/4" STEM X 1/4" QC QES1414



ELBOW 3/8" THREAD QC QEM3838



ELBOW 2 X 3/8" QC QEU38



ELBOW 2 X 1/4" QC QEU14



ELBOW 3/8" STEM X 1/4" QC QES3814



Y-TYPE TEE 3 X 1/4"

QTY14



ELBOW 3/8" X 1/4" QC

QEU3814



RUN TEE 1/4" QC STEM

QTRS14



BRANCH TEE 3 X 1/4" QC

QTU14



BRANCH TEE 1/4" QC STEM

QTBS14



BRANCH TEE 1/4" QC THREAD

QTBM14



PIPE UNION 2 X 1/4" QC

QBU14



CHECK VALVE 1/4" X 1/8"

QEV1814M



STUB 1/4" STEM-THREAD

QAM14140



ELBOW M. THR. 1/4" x 1/4" QC QEM1414



UNION M. THR. 1/4" x 1/4" QC QCM1414



UNION F. THREAD 1/2 x 1/4" QC QCF1214



UNION 3/8" x 1/4" QC QC3814



UNION 2 x 3/8" QC QC38



UNION 2 x 1/4" QC QC14



CLAMPING RING 1/4" - 3/8" QC CRBCQx



CLAMPING RING 1/4" JACO CRBCJ



HOUSING CONNECTOR 2 X 3/8" CHM38



HOUSING CONNECTOR 2 X 3/4" CHM34



HOUSING CONNECTOR 2 X 1/4" CHM14



HOUSING CONNECTOR 2 X 1/2" CHM12



HOUSING CONNECTOR 2 X 1" CHM1



LOCKING CLIP 1/4" & 3/8" QLCBLx

Do you run a restaurant? Or maybe you are a hotel owner? Or maybe just simply look for a complete water filtration method for your household? We offer solutions adjusted to (almost) all customers' needs.

Water hardness is a problem for the majority of households (and other objects). The presence of limescale leads to damage of household equipment, water installation elements and also is not beneficial for our health. Our filtration products can solve these (and many other) problems related to water.

Depending on water source, water can have different characteristics and its purification and treatment will require a different approach. For this reason, every purification station is quoted individually on the basis of the received water analysis document.



**Ready for
BIG challenges**



You can rely on our brands:



Actiwater[®]
PREMIUM WATER FILTERS



Reverse Osmosis
DRINKING WATER SYSTEM



AKVARO[™]



Actiwater
SLIM



FALA



**OXY
REDOX
LOW**[®]



MedION
Resin



ion MASTER



SPARK
VESSELS



ONIX



Wasserlight[®] PUV
ULTRAVIOLETT DESINFIEKTION



motec[®]

**PRZEDSTAWIONA OFERTA MA
CHARAKTER INFORMACYJNY**

NIE STANOWI OFERTY HANDLOWEJ W ROZUMIENIU PRAWA ORAZ
NIE STANOWI ODZWIERCIEDLENIA AKTUALNYCH STANÓW
MAGAZYNOWYCH. ZASTRZEGAMY SOBIE PRAWO DO ZMIANY
KATALOGU, PRODUKTÓW I ICH ELEMENTÓW SKŁADOWYCH.

**THE PRESENTED OFFER HAS
INFORMATIONAL CHARACTER**

IT CONTAINS NO COMMERCIAL INFORMATION IN TERMS OF LAW,
AND DOES NOT REFLECT WAREHOUSE STOCKS. WE RESERVE
OUR RIGHT TO CHANGE THE CATALOGUE, THE PRODUCTS
AND THEIR COMPONENTS.

**DAS PRÄSENTIERTE ANGEBOT HAT
INFORMATIONSSCHARAKTER**

ES ENTHÄLT KEINE GEWERBLICHEN ANGABEN IM RAHMEN
DES GESETZES UND REFLEKTIERT KEINE LAGERBESTÄNDE.
WIR BEHALTEN UNS DAS RECHT VOR KATALOG,
PRODUKTE UND KOMPONENTEN ÄNDERN.

**ПРЕДЛАГАЕМОЕ ПРЕДЛОЖЕНИЕ
ИМЕЕТ ИНФОРМАЦИОННЫЙ ХАРАКТЕР**

ОНА НЕ СОДЕРЖИТ КОММЕРЧЕСКОЙ ИНФОРМАЦИИ
В СРОКАХ ПРАВА, И НЕ ОТРАЖАЕТ СКЛАДСКИЕ
ЗАПАСЫ. МЫ ЗАБРОНИРУЕМ НАШЕ ПРАВО
ИЗМЕНИТЬ КАТАЛОГ, ПРОДУКТЫ И ИХ
КОМПОНЕНТЫ.



GF GREEN FILTER
WATER PURIFICATION SYSTEMS

**We care about
your water.**



OFFICE & WAREHOUSE:

ul. Różana 2
66-446 Deszczno Ciecierzycze
Poland

INVOICE ADDRESS:

ul. Toruńska 14
66-400 Gorzów Wlkp.
Poland

CONTACT US:

www.greenfilter.com.pl
biuro@greenfilter.com.pl
+48 95 728 91 91